



Internationaler Designpreis Baden-Württemberg

2 Bore code

- B without keyway
- K with keyway

4 Type

- A without handle
- R with revolving handle

d ₁	d ₂ H7 Bore		d ₃	b	l ₁	l ₂	l ₃	r	Ø Handle GN 798
125	12	14	31	15	18	33	61,5	54	22
140	14	16	36	16,5	19	36	76,5	61	24
160	14	16	36	18	20	39	76,5	71	24
200	18	20	42	20,5	24	45	86,5	89	25
250	22	26	48	23	28	51	86,5	113	25

Specification

- Aluminum
 - Hub machined
 - Rim turned
- Rim concentric and square to bore < 0,4
- **GN 322**
 - Rim high-polished
 - unmachined wheel body shot-blasted
- **GN 324**
 - Wheel body plastic coated black, textured finish
- Revolving handles GN 798
 - Plastic, Technopolymer black, matte
 - Spindle steel zinc plated, blue passivated
- Keyway P9 DIN 6885 → Page 1420
- Cross holes GN 110 → Page 1422
- ISO-Fundamental tolerances → Page 1479
- RoHS compliant

Information

- see also...
- Safety handwheels (disengage the clutch) → Page 204
 - Countersunk washers GN 184 (for axial fixing) → Page 814
 - Spoked handwheels GN 924 (Aluminum, plastic coated) → Page 174

How to order (rim polished)

GN322-140-K14-R

- 1 d₁
- 2 Bore code
- 3 d₂
- 4 Type

How to order (plastic coated)

GN324-200-B20-A

- 1 d₁
- 2 Bore code
- 3 d₂
- 4 Type