



1.1

1.2

1.3

1.4

1

2

b	l <sub>1</sub> ±0,5	a	d	h <sub>1</sub>	h <sub>2</sub>	h <sub>3</sub>	l <sub>2</sub>	l <sub>3</sub>	l <sub>4</sub>	l <sub>5</sub>
36	200	24	8,5	57	72	5	215	171	139	41
36	250	24	8,5	57	72	5	265	221	189	41
36	300	24	8,5	57	72	5	315	271	239	41
36	350	24	8,5	57	72	5	365	321	289	41
36	400	24	8,5	57	72	5	415	371	339	41
36	500	24	8,5	57	72	5	515	471	439	41
36	600	24	8,5	57	72	5	615	571	539	41
36	800	24	8,5	57	72	5	815	771	739	41

2.1

Specification

3

- Handle tube  
Aluminum
- Handle legs  
Zinc die casting  
plastic coated
- Tube  SW  
plastic coated  
black, RAL 9005, textured finish  
Handle legs  
black, RAL 9005, textured finish
- Tube  EL  
anodized, natural color  
Handle legs  
black, RAL 9005, textured finish
- Tube  ES  
anodized, natural color  
Handle legs  
silver, RAL 9006, textured finish

Information

Oval tubular handles GN 334.1 are highly stable.

The handle tube can be mounted without any further machining, allowing **special lengths** to be realised easily.

see also...

- Assembly sets for profile systems 30 / 40 GN 965 → Page 1428
- Assembly sets for profile systems 30 / 40 / 45 GN 968 → Page 1438

2.2

2.3

2.4

How to order

GN334.1-36-400-ES

1	b
2	l <sub>1</sub>
3	Finish

