



2

| d <sub>1</sub> | d <sub>2</sub> | d <sub>3</sub> | l <sub>1</sub> ≈ | l <sub>2</sub> | l <sub>3</sub> | l <sub>4</sub> ≈ | l <sub>5</sub> |
|----------------|----------------|----------------|------------------|----------------|----------------|------------------|----------------|
| 16             | M 5            | 16             | 58               | 15             | 5              | 52,5             | 9,5            |
| 18             | M 5            | 16             | 72,5             | 15             | 5              | 67               | 9,5            |
| 22             | M 6            | 20             | 80,5             | 19,5           | 6              | 74               | 10,5           |
| 24             | M 6            | 20             | 95,5             | 19,5           | 6              | 89               | 10,5           |
| 25             | M 6            | 20             | 105,5            | 19,5           | 6              | 98,5             | 10,5           |

**Specification**

- Handle  
Plastic  
Technopolymer (Polyamide PA)  
- temperature resistant up to 90 °C  
- black, matte finish  
- revolving

KT

- **GN 798.3**  
Retractable mechanism steel  
blackened

- **GN 798.5**  
Retractable mechanism  
Stainless Steel  
- Axle parts AISI 303  
- Flat base  
Sintered Steel AISI 316

• *Stainless Steel characteristics* → Page 1489

• *Plastic characteristics* → Page 1483

• RoHS compliant

**Information**

Typical in design are the retractable handles GN 798.3 / GN 798.5 with their stepped shape consisting of two cylinders giving the operator a better grip, especially when pulling the handle out from its locked position before it can be folded back into the rest position.

Retractable handles GN 798.3 / GN 798.5 are suitable when the handle must be withdrawn during automatic operations.

How to order (Retractable mechanism steel)

**GN 798.3-KT-22**

1 Material

2 d<sub>1</sub>

How to order (Retractable mechanism St. Steel)

**GN 798.5-KT-25**

1 Material

2 d<sub>1</sub>